




# 1.800.KC.SUPPLY

[www.kcsupply.com](http://www.kcsupply.com)

1.800.527.8775

[kcsupply@kcsupply.com](mailto:kcsupply@kcsupply.com)



## **Master Lock.**

**SAFETY SOLUTIONS™**

### **Safety Lockout Products**

OSHA Compliance Made Simple

Master Lock Safety products are particularly suited for equipment lockout during maintenance and repair procedures.

## SAFETY PADLOCKS



- **Durable** anodized or powder coated aluminum and thermoplastic models withstand chemicals, temperature extremes
- **Substantial** locking mechanisms and product designs prevent accidental removal
- Enhanced employee **identification** with write-on and photo ID labels or permanent laser engraving
- Multiple colors and shapes allow a site to **standardize** padlocks specific to Lockout/Tagout
- Exclusive-to-Safety cylinders maintain safety system integrity



## SAFETY LOCKOUT HASPS

- **Durable** steel construction
- Pry resistant jaws prevent removal without excessive force



## SAFETY TAGS & SIGNS

- Clearly present safety messages to employees and visitors
- Guardian Extreme™ models are made with **durable** polypropylene that holds up to UV, temperature extremes and abrasive materials
- Photo ID tags provide immediate **identification** of employees
- Custom options available



## VALVE LOCKOUT DEVICES



1029596  
S3068

1017677  
468L

1017675  
484

- Ball valve and gate valve lockout devices cover and effectively isolate handles in the off position
- **Substantial** designs resist unauthorized removal attempts
- Write-on labels **identify** authorized worker performing lockout

## ELECTRICAL LOCKOUT DEVICES



1017666  
487

1017668  
491B

1017669  
493B

- **Durable** materials and **substantial** designs resist unauthorized removal and prevent accidental re-activation:
  - Circuit breaker lockout devices clamp on toggles in off position
  - Plug and hose covers rotate to conceal ends
- Write-on labels **identify** worker performing lockout

## GROUP & MULTIPOINT LOCKOUTS



1017680  
503RED

1029594  
498A

1006649  
S806

- Group lock boxes with **durable** steel construction
- Exclusive Latch Tight™ design prevents access to stored keys
- Cable lockout with cinch mechanism ensures a tight fit, preventing accidental re-activation
- Write-on labels **identify** authorized worker performing lockout

## PADLOCK STATIONS



1012122  
1483BP1106

1092677  
S1518

- Store **standardized** lockout padlocks in a centralized location for worker access during maintenance procedures
- **Durable** polypropylene or steel construction withstands harsh conditions

## FIELD ID SAFETY & COMPLIANCE SOFTWARE

- Manage lockout procedures, inspections, and audits on the web, smartphones and tablets
- Gain complete traceability and visibility into your safety and compliance activities
- Experience real-time compliance; scan barcodes or RFID tags to reduce errors and track time and location of events
- Be audit-ready with instant, automated and detailed reporting



Risk of worker injury during equipment maintenance is significant. In response, OSHA created Standard 29 CFR 1910.147 *The Control of Hazardous Energy* to establish lockout tagout (LOTO) compliance requirements for general industry.

LOTO product performance is critical in order to maintain worker safety in varying environmental conditions; from temperature extremes, harsh material exposure such as sand, dirt, debris, and frequent chemical exposure that necessitate corrosion resistance.

Master Lock has decades of expertise designing products that meet the OSHA Standard and industrial conditions. Master Lock offers fully customized safety padlock systems and effective lockout devices designed to protect workers from injury or death.

**Key features include:**

**Durability:** Master Lock safety products are exposed to rigorous temperature, chemical and weather testing to ensure they can withstand environmental conditions.

**Key Charting:** Complimentary service records all key codes distributed to a customer to ensure they aren't duplicated within a facility. Supports the "one lock, one key per employee" industry mantra.



**Restricted Safety Keys:** Key duplicates can't be created in the field and unknowingly introduced to a padlock system. Keys are also stamped "Do Not Duplicate."

**Custom Keying Options:** Padlock systems can be custom keyed to adhere to the lockout program for each facility: keyed different, keyed alike, master keyed, grand master keyed, great grand master keyed.



**Laser Engraving/Stamping:** Add permanent identification to padlocks and keys by adding employee name, department, key number or company logo.



**Labels and Tags:** Identify authorized employees as well as the type of safety lockout and maintenance being performed. Custom options available.



Companies can rely on Master Lock Safety Solutions for a wide variety of OSHA compliant LOTO padlocks and devices that effectively meet the demands and conditions where lockout is performed and Field iD safety compliance software for lockout procedures and inspections.



**Per 29 CFR 1910.147, OSHA Requires LOTO Padlocks and Devices To Be:**

- DURABLE:**  
Withstands environment where used
- SUBSTANTIAL:**  
Prevents removal without use of excessive force
- STANDARDIZED:**  
Standardize within facility by shape, color or size
- IDENTIFIABLE:**  
Clearly identifies the employee who installed the lockout device
- SINGULARY IDENTIFIED:**  
Used exclusively for LOTO.  
Must not be used for security purposes

**Master Lock Safety Solutions are compliant with these requirements**